

Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

Establishment Name AGAVE & RYE (A&R NEW ALBANY)	Telephone Number Est 812-993-8226 Own 614-357-7874	Date of Inspection 05/10/2022	ID#
Address 324 E. MAIN ST, NEW ALBANY IN 47150			
Owner WADE SARBER	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up 05/31/2022	Released 05/10/2022
Owner's Address 635 MADISON AVE COVINGTON, KY 41011		Menu Type 1 _ 2 _ 3 <u>X</u> 4 _ 5 _	
Person in Charge JASON FRYMAN			
Responsible Person's Email CHATURA.SENADEERA@AGAVEANDRYE.COM			
Certified Food Handler JASON FRYMAN			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
294	X			Measured quat sanitizer bucket in front dining room above 400 ppm.	today
344	X			Observed handsink in warewashing area to be blocked with cardboard.	corrected
345	X			Observed food debris in handwashing sink causing it to drain slowly. Handwashing sink should not be used for any purpose other than handwashing.	corrected/ retrain staff
415	X			Observed a line of ants entering the building through a crack in the exterior wall near "POD". Contact certified pest operator.	3 days
438	X			Observed a spray bottle at the warewash area to not have a label. PIC identified it as de-greaser.	today
347		X		Observed both (2) hand sinks in kitchen to be out of handtowels.	corrected
342		X		Observed the water at the handwashing sink on cooking line to not get hot.	3 weeks
				Person in charge (PIC) state an additional booster heater is ordered for the warewash machine. This should free up capacity for the handwashing sink.	
324		X		Observed fitting on hose in kitchen to be dripping. Observed pipe leaking on top sided of warewash machine. Observed drain hose from ice machine to be disconnected and discharging water on the back steps. Observed floor drain under 3-comp sink to be clogged. Observed drain hose on glasses shelf at warewash area to be discharging water directly on to the concrete. Hose should be extended to the nearby floor drain. Observed ice chest's drain hose on upstairs deck to be discharging water directly onto wood decking.	3 weeks
431		X		Observed puddling of water near hose and warewash area. Water should be squeegeed to drains. Observed puddle in outdoor storage "pod" in back right corner.	1 day
239		X		Observed to-go boxes at server station to not be inverted.	corrected
426		X		Observed a bucket behind the building collecting water.	1 day
392		X		Observed side door of dumpster left open. Observed bird fly out of dumpster. Keep all doors and lids closed.	today
245		X		Observed unclean wiping cloth draped over sanitizer spray bottle at upstairs bar. If a cloth is used with a spray sanitizer it can only be used if clean and dry. Once it appears soiled or wet it cannot be reused. Consider using single-use towels with spray sanitizer and cloths with sanitizer bucket.	today
234	X			Observed a cup of stirrers in bar stored in a cup of soda water. Stirrer should be washed after use, or stored in hot water above 135F.	today

Retail Food Inspection Report

Floyd County Health Department
Telephone (812) 948-4726

Establishment Name AGAVE & RYE (A&R NEW ALBANY)		Telephone Number Est 812-993-8226 Own 614-357-7874	Date of Inspection 05/10/2022	ID#	
Address 324 E. MAIN ST, NEW ALBANY IN 47150					
Owner WADE SARBER		Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up 05/31/2022	Released 05/10/2022	
Owner's Address 635 MADISON AVE COVINGTON, KY 41011			Menu Type 1 _ 2 _ 3 <u>X</u> 4 _ 5 _		
Person in Charge JASON FRYMAN					
Responsible Person's Email CHATURA.SENADEERA@AGAVEANDRYE.COM					
Certified Food Handler JASON FRYMAN					
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"					
Section #	C	NC	R	Narrative	To Be Corrected
Summary of Violations C <u>6</u> NC <u>8</u> R <u>0</u>					
Received by (name and title printed):			Inspected by (name and title printed): Thomas Snider CFS		
Received by (signature):			Inspected by (signature): <i>Thomas Snider</i>		
cc:		cc:		cc:	